



Product Data Sheet

AB360

6" Fire bell for indoor use, 24 VDC

General

The AB360 is a 150 mm (6 inch) internal bell designed as an acoustic fire annunciator. Thanks to its small dimensions and overall design, it is ideal for in-door installation. The AB360 uses a 24 VDC supply and with the advantage of having very low current consumption, makes them compatible with most fire alarm systems on the market.

Applications

The AB360 is ideal for installing on any site, but are specifically good for installing on sites where a great number of bells are required. Because of the low current consumption, excessive power supplies can be avoided.

Construction

Designed for ease of installation, the AB360 features a robust steel gong. This ensures the reliable generation, of the universally recognizable fire alarm bell sound.



Standard Features

- Suitable for indoor use
- Slim profile
- Low current consumption - 20mA
- Quick and easy installation
- Diode polarised
- Low maintenance
- Very reliable
- EN54-3 Approved
- CPD compliant

AB360

6" Fire bell for indoor use, 24 VDC

Specifications

Electrical Characteristics	
Supply Voltage	19 to 28 VDC
Current Consumption	20 mA
Physical Characteristics	
Sound Output	95 dB(A)
Colour	Red
Weight	0.920 kg
Diameter	6" (150 mm)
Gong construction	Steel
Environmental	
IP Rating	IP21C
Temperature Range	-10 to +55 °C

Ordering Information

Part No.	Description
AB360	6" Fire bell for indoor use, 24 VDC

